



OUR MAIN EXPERTISES

- Drawing of miniature conductors
- Plating on metal or plastic parts : tin, nickel, silver, gold and more
- Extrusion and lamination of temperature and chemically resistant insulation materials
- Shielding techniques : braiding, taping, shield termination, simulation and measurement of EMC performance
 - Stamping of precision metal parts
 - Electrostriction of wire pins and interconnect pin headers
- Moulding and overmoulding of connectors and cables
- Mechatronics : integration of electromechanical and electronic components
- Cabling : termination of flat and round cables
 - Assembly using manual or automatic processes
- Development of automatic manufacturing processes

AUTOMOTIVE INTERCONNECT

We're in the driving seat!

Connectivity, active safety, electro mobility, reduction of air pollution – these are some of the major trends in the automotive industry. Therefore more and more high tech electronic devices have to be connected inside our cars.

Reliability, weight and space saving, flexibility, temperature resistance, power transmission, EMI protection....these are some of the demanding requirements Axon' has to take into account. We take up the challenge ! From standard flexible flat cables to custom designed complete mechatronic interconnect systems Axon' offers solutions to connect virtually every part of the vehicle.

Axon's integrated manufacturing sites in Europe, Asia and America can handle all orders from small and medium size volumes right up to mass production. All sites involved in the manufacture of automotive products are ISO 9001 and TS16949 certified.

Discover our numerous product ranges suited to connecting all the different equipments of a vehicle !





MULTIFUNCTION STEERING WHEEL

AIRBAG SWITCH ROTARY CONNECTOR


- Custom designed flat flexible cables
 - High quality reliable bulk flat cables Flexlink®
 - High flexlife
 - Conductors: width starting from 0.6 mm, small thickness (35 µm)
 - Low width construction Picoline® for noise reduction
 - Clean stripped areas suited for welding processes
- Overmoulded or inserted connectors
- Precision stamped metal parts
- Terminated flat cable harnesses

STEERING WHEEL HEATING SYSTEMS


- Bulk flexible flat cables
 - Large conductors (up to 19 mm), small thickness (35 µm)
 - Power transmission 8 A
 - Low width construction Picoline®
 - High flexlife
 - Clean stripped areas suited for welding processes



Flat cable harness



Connectors for flat cable harness



Bulk flexible flat cables




STEERING SYSTEM

BOARD-TO-BOARD CONNECTION FOR ELECTRONIC CONTROL UNIT (ECU)

- Round flat cable Axostrip™
 - Flat cables with round pins
 - Reliable through-hole interconnection compatible with wave soldering process
 - No connectors necessary
 - Insulation: Polyester (105°C), Polyimide (125°C) or Aramid (125°C)
 - High resistance to bending and vibration


HYDRAULIC AND ELECTRIC POWER STEERING

- Overmoulded connectors with signal and power contacts
 - Integrated sealing system



OTHER STEERING WHEEL FUNCTIONS: INDICATORS, RADIO/GPS/CRUISE CONTROL

- Connectors with pressfit terminals
 - Solderless connection onto the PCB (patented solution)



Round flat cable



Connector with pressfit terminals



INFOTAINMENT SYSTEM/ CAMERAS/ DASHBOARD

BOARD-TO BOARD INTERCONNECTIONS

→→ Flat flexible cables Axojump™

- Tin or gold plated conductors to avoid whiskers
- Polyester (105°C) or Polyimide (125°C) insulation
- 0.5 or 0.3 mm pitch for high density connection in a limited space
- Shielded version for EMI protection
- Punchings for easy positioning and locking into the connector
- Custom add-ons : folding, marking, adhesives, etc

DISPLAY CONNECTION

→→ Flat display connection FDC Axolink™

- Compatible with industry standard connectors (DF-9, DF-19, FI-SE or FI-X, ...)

→→ HD display connection FDC 100®

- High speed (LVDS) and ultra high speed (UHS – V-by One® HS protocol) transmission
- 100 ohms impedance shielding
- Axon' connector with simple connection system



Shielded flat cables



Flat cables with punchings



HD display connection FDC 100®



PASSENGER COMPARTMENT

WINDOW LIFT

→→ Connectors

→→ Mechatronic parts

- Functional connector with PCB inside

SHADING SYSTEM

→→ Connectors

with inserted terminals



Extruded flat cable



Connectors with inserted terminals



EXHAUST PIPE

SELECTIVE CATALYTIC REDUCTION SYSTEMS (SCR)

→→ Heating wires

- Nickel alloy conductors with high electrical resistance
- Temperature resistant FEP insulation (200°C)
- Resistant to AdBlue® fluid
- Small dimensions



Heating wires



ENGINE COMPARTMENT

SENSORS AND TRANSMITTERS

- **Thermocouple wires**
 - Thermocouple conductor N (Nisil / Nicrosil)
 - PTFE insulation
 - Temperature resistant (up to 260°C)
 - Lightweight
 - Small dimensions
- **Overmoulded connectors**

TORQUE SENSORS

- **Overmoulded connectors**

STOP-AND-START SYSTEM

- **SMD interconnectors for reflow processes**
- **Sealed connectors with pressfit terminals and potting**

INJECTORS

- **Overmoulded coils**

ADDITIONAL HEATING IN DIESEL ENGINES

- **Mechatronic parts**

ELECTRICAL ENGINE CONTROL SYSTEM


- **Power leadframes**
 - High current density
 - Sealed and compact

POWER INVERTERS FOR ELECTRICAL CARS


- **High temperature FFC and round cables**
 - Polyimide insulations (125°)
 - Board- to-board interconnection
- **Custom designed sealed connectors and pinheaders** (square or round pins)

AUTOMATIC GEAR BOX


- **Extruded flat cables**
 - Oil and temperature resistant thermoplastic insulation (125°C)
- **Overmoulded filters**



High temperature FFC



Thermocouple wires



Mechatronic parts



Inserted terminals



WIPER SYSTEMS

- **Overmoulded connectors**
 - Electrical contact and transport of fluids
 - Watertight
 - Pressure resistant
- **Inserted terminals**
 - Adapted to wave soldering or reflow processes
 - Pressfit terminals available.

Thickness: 0.6mm, 0.8mm and 1mm for signal and power applications

 - Semi-automatic and automatic insertion solutions for PCB assembly



HEADQUARTERS : FRANCE

AXON' CABLE S.A.S.

2 ROUTE DE CHALONS EN CHAMPAGNE

51210 MONTMIRAIL

TEL. : +33 3 26 81 70 00

FAX : +33 3 26 81 28 83

sales@axon-cable.com

» BRAZIL

AXON' CABLE INDUSTRIA E COMÉRCIO LTDA

Av. Afonso Arinos de Melo Franco,
222 sala 276 bloco2B
Barra da Tijuca - CEP.: 22631-455
RIO DE JANEIRO - RJ
TEL.: +55 21 3596-8002
l.moreira@axon-cable.com

» CANADA

AXON' CABLE CANADIAN OFFICE

4578 rue Chabot
H2H 1Y3 MONTREAL, QUEBEC
TEL.: +1 514 898 2044
g.hannequin@axoncable.com

» CHINA

AXON' INTERCONNECT LIMITED

High Tech Industrial Park,
Chang Bao Xi Road
Ronggui, 528306
SHUNDE, GUANGDONG
TEL.: +86 757 2838 7200
FAX: +86 757 2838 7212
sales@axon-interconnect.com

» GERMANY

AXON' KABEL GMBH

Postfach 1131 - 71201 LEONBERG
Hertichstr. 43 - 71229 LEONBERG
TEL.: +49 7152-97992-0
FAX: +49 7152-97992-7
sales@axon-cable.de

» HUNGARY

AXON' KÁBELGYÁRTÓ KFT.

KECSKEMÉT, H-6000
Külső-Szegedi út 104.
TEL.: +36 76 508 195
FAX: +36 76 508 196
axon@axon-cable.hu

» INDIA

AXON' INTERCONNECTORS AND WIRES PVT LTD

#117, Neil Rao Towers
Suite No. 1W, Road No. 3
EPIP, Whitefield
BANGALORE 560066
TEL.: +91 804 091 8186
FAX: +91 804 091 8185
sales@axon-cable.in

**DHRUV AXON' : YOUR OFFSET
PARTNER IN INDIA**

» JAPAN

AXON' CABLE JAPAN OFFICE

TEL./FAX: +81 26 244 2261
axon-japan@axon-cable.com

» LATVIA

AXON' CABLE SIA

Višku Iela, 21 C
DAUGAVPILS -LV-5410
TEL.: +371 6540 78 91
FAX: +371 6540 78 93
axon@axoncable.lv

» MEXICO

AXON' INTERCONEX, S.A. DE C.V

Av. Peñuelas 21-A1.
Industrial San Pedrito Peñuelas
Querétaro Park
76148 Querétaro, Oro.
TEL: +52 442 215 2713
FAX: +52 442 220 6464
axon-mexico@axoncable.com

» SPAIN

AXON' CABLE SPANISH OFFICE

C/Capitán Haya, N°1, Planta 15
28020 MADRID
TEL.: +34 91 418 43 46
FAX: +34 91 556 28 80
sales@axon-cable.com

» UNITED KINGDOM

AXON' CABLE LTD

AXON' AGORA
Admiralty Park - ROSYTH
DUNFERMLINE - FIFE
KY11 2YW
TEL.: +44 1383 421500
FAX: +44 8715 282789
sales@axon-cable.co.uk

» USA

AXON' CABLE INC.

1314 N Plum Grove Road
SCHAUMBURG, IL. 60173
TEL.: +1 847 230 7800
FAX: +1 847 230 7849
sales@axoncable.com



Visit our website

www.axon-cable.com

