

WIEGEL HIGHLIGHTS



30 - 450 TON PRESS Capable Range	CERTIFICATIONS IATF 16949:2016 & ISO 14001	OPEN CAPACITY
VALUE-ADD CAPABILITIES	EV PORTFOLIO	ANNUAL INVESTMENTS Technology, Equipment & Acquisitions
81 YEARS 3 rd Generation Leadership	CONTINUED GROWTH Financial Stability	SOPHISTICATED QUALITY CONTROLS

COMPANY OVERVIEW

Wiegel is a leading North American-based progressive die metal stamper, product assembler and battery component manufacturer supplying OEMs and tier manufacturers across the globe with custom product solutions for over 81 years.





- 2022 Revenue: \$78.5MM (37% increase from 2021)
- Revenue Expected to Increase by over 10% in 2023
 (Projection based on booked programs)
- 230 Employees
- 207,000 SF Operation with 4 Locations
 - Wiegel HQ Wood Dale, IL (68,000 SF)
 - Manufacturing Plant Wood Dale, IL (25,000 SF)
 - Manufacturing Plant Bensenville, IL (52,000 SF)
 - Warehouse & Distribution Elk Grove Village, IL (62,000 SF)

44 Stamping Machines

- 26 Presses at Wood Dale, IL Ops
- 18 Presses at Bensenville, IL Ops
- Includes progressive high-speed and heavy stamping presses, automation line transfer stamping presses and welding line stamping presses

WIEGEL HISTORY & PLANT EXPANSION



December 6, 1941 Industrial Tool Works is founded by Otto and Kathie Wiegel in Chicago, IL as a tool and die shop



The company is relocated to Franklin Park, IL and later changed it's name to Wiegel Tool Works in 1958



Purchased land in Wood Dale, IL and built a new 25,000 sq-ft building for expansion and relocation of business operations Martin Wiegel, son of Otto and Kathe Wiegel assumes ownership of Wiegel Tool Works.

1993



2010



Martin Wiegel's three children, Aaron Wiegel, Erica Wiegel and Ryan Wiegel take over the family business.



Invested in a 20,000 sq-ft building addition to house additional stamping equipment.

WIEGEL HISTORY & PLANT EXPANSION





Acquired a 25,000 sqft building. Purchased a 52,000 sq-ft building in Bensenville, IL to expand production space.



Wiegel Tool Works introduces its first production automation line with 17 FANUC robots




Expanded operations to a new 62,000 sq-ft facility in Elk Grove Village, IL for warehousing and distribution.



2022

Wiegel Tool Works rebrands the company identity assuming the DBA name, Wiegel, and launching a new logo

INDUSTRIES SERVED




METAL STAMPINGS




WIEGEL GROWTH 8

WIEGEL SALES



CAPITAL INVESTMENTS



2015		
- 100-ton	Servo	Press

2016

Center

- Okuma Vertical Machining

- 100-ton Mechanical Press

- Building Acquisition

(Bensenville)


2017

- New Vision Systems
- New Cleaning System
- Building Improvements
- Land Acquisition
- Employee Lunch Room Improvements

2018

- New Roof (Wood Dale)
- New Material Scrap Dock
- Grinder
- (2) Mobile Vision Systems
- Minster Coil Feed Line
- Minster P2H-160 180-ton Press

CAPITAL INVESTMENTS



2019

- Okuma Horizontal Machining Center
- Hole Popper (EDM Drill)
- Zeiss Contura X700 CMM
- 300-ton Minster 120" bed
- Rebuild Existing 400-ton Minster
- Air Compressors
- (2) Roll Welders
- Automation line with (17) Fanuc Robots

2020

- 60-ton Bruderer Press
- Assembly Line
- (3) Komatsu Presses
- (2) Roll Welders
- Minster 400-ton Press
- Progressive/Transfer Dies
- In-line Washer
- (2) Bruderer Lines
- WTW Assembly Line
- Tapping Lines


2021

- Welding Systems
- Automation Lines (Robotics)
- Vision Systems
- Laser Markers
- Presses
- Washing Equipment


2022

- Welding Systems
- Automation Lines (Robotics)
- Vision Systems
- Laser Markers
- Presses
- (3) Wire EDMs

OUR PROCESS



$\mathsf{ENGINEERING} \Longrightarrow \mathsf{PROTOTYPING} \Longrightarrow \mathsf{TOOLING} \Longrightarrow \mathsf{PRODUCTION} \Longrightarrow \mathsf{INSPECTION}$









WIEGEL PRODUCTION CAPABILITIES

MINSTER PROGRESSIVE DIE HEAVY STAMPING



Part Specifications:

- Minimum Part Length/Width: 0.25 in (6.35 mm)
- Maximum Part Length/Width: 24 in (609.6 mm)
- Part Diameter: 0.25 in (6.35 mm) to 24 in (609.6 mm)
- Part Thickness: .008 in (.2 mm) to .375 in (9 mm)
- Tolerance: +/- .001 in (+/- .025 mm)

Equipment Capabilities Include:

- Press Rating: 100 to 450 tons
- Press Speed: up to 140 strokes/min (spm) on conventional presses, up to 250 spm on servo and up to 400 spm on hybrid presses
- Maximum Press Stroke: 8.5 in (215 mm)
- Maximum Press Bed Length: 120 in (3,048 mm)
- Maximum Press Bed Width: 55 in (1,397 mm)

Camera Detection and Inspection of Parts:

- In-process and post-process camera vision systems (2-D and 3-D camera detection and inspection)
- Safe launch procedures



Appropriate for large/thick material components: busbars, lead frames, brackets, housings, etc.













BRUDERER PROGRESSIVE DIE HIGH-SPEED STAMPING



Part Specifications:

٠

- Minimum Part Length/Width: 0.25 in (6.35 mm)
- Maximum Part Length/Width: 7 in (177.8 mm)
- Part Diameter: 0.25 in (6.35 mm) to 7 in (177.8 mm)
- Part Thickness: .002 in (.051 mm) to .090 in (2.2 mm)
- Tolerance: +/- .001 in (+/- .025 mm)

Equipment Capabilities Include:

- Press Rating: 30 to 90 tons
- Press Speed: Up to 1,500 strokes/min
- Maximum Press Stroke: 3 in (76.20 mm)
- Maximum Press Bed Length: 57 in (1447.8 mm)
- Maximum Press Bed Width: 33 in (838.20 mm)


Camera Detection and Inspection of Parts:

- In-process and post-process camera vision systems (2-D and 3-D camera detection and inspection)
- Safe launch procedures



Appropriate for delicate/thin material components: reel-reel or loose piece terminals, pins, shields, contacts, etc.

BRUDERER HIGH-SPEED STAMPING VIDEO



Bruderer press running at 1,300+ strokes per min (SPM) with an automatic take-up winder and camera vision system and sensors for 100% quality assurance.

ASSEMBLY & MANUFACTURING



Assembly Processes:

- Automated In-Die Assembly
- Automated Robotic Assembly
- Secondary Semi-Automated Assembly
- Threading
- Staking
- Tapping
- Hardware Insertion
- Stacking
- Joining
- Welding
- Riveting

Assembly Hardware:

- Plastic Pieces
- Metal Inserts
- Fasteners
- Screw Machine Parts
- Pemserts
- Bushings
- Nuts / Studs

Camera Detection and Inspection of Parts:

- In-process and post-process camera vision systems (2-D and 3-D camera detection and inspection)
- Safe launch procedures






Appropriate for custom manufacturing and developing components

ROBOTIC AUTOMATION & HARDWARE INSERTION FOR PRODUCT ASSEMBLY













EV BATTERY PACK AND BATTERY COMPONENT MANUFACTURING



BATTERY PACK MODULE & SUB-MODULE PRODUCTION FOR EV BATTERIES



BATTERY CELL COMPONENT PRODUCTION



BATTERY PRODUCTION OPERATIONS



- Stamping and forming of parts
 - Progressive-die heavy and high-speed stamping systems
 - Transfer stamping systems
- Plating and surface coating of parts
- Robotic joining and assembly of parts
 - Welding systems
 - Bonding systems
 - Glue stations
 - UV Curing systems
 - Rollout stations
- Automated material stacking and layering processes
- Camera Detection and Inspection of Parts
 - In-process and post-process camera vision systems (2-D and 3-D camera detection and inspection)
 - Safe launch procedures
- Automated cleaning of parts
- Automated packaging and laser marking of parts

EMOBILITY AND EV BATTERY TECH COMPONENTS



High current, thick copper battery busbars with PEMnut fasteners



Copper busbars with Dielectric insulated materials (epoxy powder coating and heat shrink tubing) with PEMnut fasteners

High current, thick copper battery busbars with tin plating and PEMnut fasteners





Battery eyelet terminals and wire cable connectors



Terminals, tabs and connector contacts



Power pack terminals and contact inserts



Shields and terminals for electric connector plugs



VALUE-ADD CAPABILITIES 24

PRE- AND POST-PRODUCTION PROCESSES

Precious Metal Plating:

We offer a range of pre- and postplating options for metal stamping assemblies to allow for corrosion protection, electrical conduction, decorative use, wear resistance, coloring, bonding, and lubricity.

Insert Molding, Injection Molding and Overmolding:



Surface Coating Applications:

Stampings may require a surface coating for dielectric insulation, application environment protection, heat and extreme temperature protection, abrasion protection and corrosion protection in various electrical applications.



PRE-PRODUCTION SERVICES


Tool & Die Design and Manufacturing

Die Design

• We utilize the most sophisticated 3D CAD modeling system in the industry, Siemens NX, to design and debug progressive dies on screen.

Die Manufacturing

 We produce our tools in-house using top technology such as wire EDM, CNC machining, optical profile grinding and waterjet cutting.





Rapid Prototyping

Part Development and Testing

- We test design concepts at early phases of part development to perfect part designs and prevent mass production issues.
- We determine feasibility of manufacturing part designs
- We offer recommendations on best suited materials, appropriate manufacturing technology and design modifications for parts and tools

WATERJET

Waterjet Cutting

Tooling Applications

 We utilize waterjet for efficiently cutting custom die sets and blocks for in-house tool making

Production Applications

 We have invested in waterjet cutting technology as an alternative manufacturing method that produces quick and cost-effective parts for many applications without the need for tooling design and production.

Prototype Applications

 We can cut out prototype parts with thicker materials using waterjet



WIEGEL: A REPUTATION BUILT ON QUALITY

Our Quality:

- Engineers can design and run tools in a virtual production simulation to debug the production process
- Tooling Department integrates quality detection sensors into the tools that ensure quality during tool try-out and final production
- Camera vision systems incorporated at the press
- We conduct in-process inspection, capability studies, quality lab tests and safe launch procedures



QC Equipment:

- Zeiss CMM
- OGP Smart Scopes
- Keyence Vision Systems
- ATOS Laser Measuring System
- In-Die Sensors and Camera Vision Systems

Predictable Production:

- Feasibility study at the beginning of every production program
- Process failure mode and effects analysis (PFMEA) conducted to prevent failures and ensure error-free production process

Strict Supplier and Partner Selection:

 All material suppliers and subcontracted vendors go through a strict supplier qualifying and approval process.

Packaging & Delivery:

- Follow specific packaging instructions provided by our customers
- All packaging options are properly secured onto skids or pallets and edge protected on all sides.
 Packages are banded and stretch wrapped to make sure parts adhere to the skid to prevent movement from the skid or damage during transit.

SOPHISTICATED QUALITY CONTROLS & EFFICIENCY

Automated Inspection In-Line/Off-Line Vision Systems

• 100% quality off the press

Die simulation software

Reduces debug and die try out.

Press Monitoring System


Shop Floor Connect

Real-time Production Monitoring

In-Tool Monitoring

- Sensors
- Tonnage meters
- SPM control








100 Ton Minster (123)	100 Ton Minster (45)	100 Ton Minster (8
Running @ 115 SPM (00:14:00)	Running @ 81 SPM (00:18:45)	Running @ 95 SPM (
Tool Number = 494	Tool Number = 819	Tool Number = 878
Part Number = 28529898	Part Number = 8100-5145	Part Number = 9001
Est Complete = 37:58:07	Est Complete = 10:01:51	Est Complete = 03:
160 Ton Minster (86)	200 Bliss (47)	30 Ton Bruderer (4
Running @ 60 PPM (00:15:55)	Planned Downtime (00:14:01)	Running @ 349 SPM
Tool Number = 910	Tool Number = 784	Tool Number = 769
Part Number = R81005203	Part Number = 13523156 - 01	Part Number = 7795
Est Complete = 06:00:35	Est Complete = 05:05:45	Est Complete = 43:4
30 Ton Bruderer (98)	400 Ton Minster (51)	45 Ton Bruderer (4
Coll Change (00:05:08)	Running @ 27 SPM (00:19:02)	Planned Downtime (
Tool Number = 870	Tool Number = 841	Tool Number = 7061
Part Number = RP0301-SINGULATE	Part Number = 33233416	Part Number = 1-066
Est Complete = 22:58:58	Est Complete = N/A	Est Complete = 08:0
60 Ton Bruderer (111) Planned Downtime (21:48:50) Tool Number = 490 Part Number = 4004665600 - 02 Est Complete = 36:46:25	60 Ton Longbed (48) Batch counter preset 1 (00:00:08) Tool Number = 901 Part Number = INS2540-1-2 Est Complete = 131:11:00	60 Ton Longbed (8 Running @ 601 SPM Tool Number = 918 Part Number = 3116 Est Complete = 03:
60 Ton Shortbed (40)	75 Ton Bruderer (41)	75 Ton Bruderer (5
Tool Maintenance (00:46:52)	Running @ 236 SPM (00:26:29)	Planned Downtime ()
Tool Number = 726	Tool Number = 834	Tool Number = 537
Part Number = 023-0022-000	Part Number = 9042320-T	Part Number = L-84
Est Complete = 32:09:35	Est Complete = 10:21:31	30 Est Complete = 110

MOBILE VISION SYSTEM (MVS)


MVS Capabilities:

- Capable of inspecting flat and/or formed parts
- Precise measurement and inspection at very high speed
- Data collection
- Low angle light enabled for greater detection of surface imperfections
- Back-lit to enhance contour (missing features, extra features, slivers)





450 strokes per min (SPM)




1300 strokes per min (SPM)

QUALITY CERTIFICATIONS









THANK YOU!

WIEGEL 935 N. CENTRAL AVE. WOOD DALE, IL 60191

Phone: (630) 595-6550

Email: info@wiegel.com

wiegel.com

